Division of Health Care Facilities STATEMENT OF DEFICIENCIES (X3) DATE SURVEY (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: 01 - SHANNONDALE OF MARYVILLE HEALTH CARE CENTER TN0506 08/25/2015 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 803 SHANNONDALE WAY SHANNONDALE OF MARYVILLE HEALTH CAR MARYVILLE, TN 37803 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE PRÉFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG DEFICIENCY) N 843 1200-8-6-.08 (13) Building Standards N 843 N 843 (13) Electrical drawings shall include where No residents have been affected by applicable: this deficient practice. (a) A seal, certifying that all electrical work and No residents have been affected by equipment is in compliance with all applicable codes and that all materials are currently listed by this deficient practice. The two (2) recognized testing laboratories: electrical plugs in question will be converted to ground-fault circuit (b) All electrical wiring, outlets, riser diagrams. interrupters (GFCI) by 9-18-15. switches, special electrical connections, electrical service entrance with service switches, service feeders and characteristics of the light and power A thorough examination of the current, and transformers when located within the building will be done to assure there building; are no other electrical outlets within six (6) feet of a wet area. (c) An electrical system that complies with applicable codes: Maintenance will observe any (d) Color coding to show all items on emergency alterations to the building to assure power; 9-18-15 compliance. (e) Circuit breakers that are properly labeled; and (f) Ground-Fault Circuit Interrupters (GFCI) that are required in all wet areas, such as kitchens, laundries, janitor closets, bath and toilet rooms, etc, and within six (6) feet of any lavatory. This Rule is not met as evidenced by: Based on observation and interview, the facility failed to maintain the condition of the physical plant and the overall nursing home environment to assure the safety and well-being of residents are assured.

Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITL

(X6) DATE

David Maywell

899

GZRN21

f continuation sheet 1 of 3

Division of Health Care Facilities STATEMENT OF DEFICIENCIES (X3) DATE SURVEY (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: 01 - SHANNONDALE OF MARYVILLE **HEALTH CARE CENTER** TN0506 08/25/2015 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 803 SHANNONDALE WAY SHANNONDALE OF MARYVILLE HEALTH CAR MARYVILLE, TN 37803 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX **PREFIX** (EACH CORRECTIVE ACTION SHOULD BE COMPLETE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG DEFICIENCY) N 8431 Continued From page 1 N 843 The findings include: Observation and interview with the maintenance director on 8/25/15 at 9:30 AM revealed the laundry room was not equipped with GFCI (ground fault circuit interrupters) behind the washers. This finding was verified by the Maintenance Supervisor and acknowledged by the Administrator during the exit conference on 8/25/15. N 848 N 848: 1200-8-6-.08 (18) Building Standards N 848 No residents have been affected by this (18) It shall be demonstrated through the deficient practice. submission of plans and specifications that in each nursing home a negative air pressure shall No residents have been affected by this be maintained in the soiled utility area, toilet deficient practice. The supply air within room, janitor 's closet, dishwashing and other the janitorial closet will be eliminated. such soiled spaces, and a positive air pressure shall be maintained in all clean areas including, but not limited to, clean linen rooms and clean A thorough examination of the building utility rooms. will be done to assure that all other locations meet the requirements of positive and negative air pressure. This Rule is not met as evidenced by: Maintenance will oversee any new or Based on observation and interview, the facility existing HVAC work completed within failed to maintain the condition of the physical the building. 9-25-15 plant and the overall nursing home environment to assure the safety and well-being of residents are assured. The findings include: Observation and interview with the maintenance director on 8/25/15 at 10:30 AM revealed the

Division of Health Care Facilities

janitor's closet on the second floor by room 220

GZRN21

PRINTED: 08/27/2015 FORM APPROVED Division of Health Care Facilities (X3) DATE SURVEY STATEMENT OF DEFICIENCIES (X2) MULTIPLE CONSTRUCTION (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A, BUILDING: 01 - SHANNONDALE OF MARYVILLE **HEALTH CARE CENTER** TN0506 08/25/2015 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE **803 SHANNONDALE WAY** SHANNONDALE OF MARYVILLE HEALTH CAR MARYVILLE, TN 37803 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PREFIX PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE DATE (EACH DEFICIENCY MUST BE PRECEDED BY FULL **PREFIX** (EACH CORRECTIVE ACTION SHOULD BE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG CROSS-REFERENCED TO THE APPROPRIATE TAG DEFICIENCY) N 848 | Continued From page 2 N 848 was not provided with negative air pressure. This finding was verified by the Maintenance Supervisor and acknowledged by the Administrator during the exit conference on 8/25/15.

Division of Health Care Facilities

GZRN21